

VOLUME 5, ISSUE 3

JULY 2009

# Acoustics Today



**Sounds in Space  
Sounds of the Eiffel Tower  
Environment for Auditory Research  
Hearing Aid Terminology  
and more**

*A publication of  
the Acoustical Society  
of America*

**United States Army's Environment for Auditory Research Laboratory**



# THE SOUND OF MUSIC AND VOICES IN SPACE PART 2: MODELING AND SIMULATION

Timothy G. Leighton

*Institute of Sound and Vibration Research, University of Southampton  
Highfield, Southampton SO17 1BJ, UK*

and

Audi Petculescu

*Department of Physics, University of Louisiana at Lafayette  
Lafayette, Louisiana 70504*

As is shown in the paper, atmospheres affect both the generation and the propagation of sound. The effect on sound generation, depending on the actual source mechanisms that we exemplify by organ music and speech is two-pronged—the acoustic characteristics are altered not only by the nature of the gas but also by mass loading of the source. For the propagation of sound, the atmospheres act as frequency-dependent “filters,” characteristic of the composition and ambient conditions of each planet.

## Acoustic generation and fluid loading

The influence of an atmosphere on a sound source was studied based on two considerations. Firstly, both an organ pipe and the vocal cavity can be regarded as resonators. The resonance frequencies depend linearly on the sound speed in the gas in which they vibrate. Thus, at the outset (i.e., before propagating the waveforms), we adjusted the frequencies of the relevant features according to the predicted sound speeds for the atmospheres of Venus, Mars, and Titan (the pitch of the flue organ pipe scales with the sound speed, but for the voice only the frequencies associated with the vocal tract resonances are scaled, leaving the voice pitch unaltered at this stage). Then, secondly, one considers the mass loading of the resonator by the surrounding atmosphere, which introduces an additional relative frequency shift calculated<sup>1,2</sup> as

$$\frac{\Delta f}{f_0} = \sqrt{\frac{m}{m + m_{rad}}} - 1 \quad (1)$$

Here  $\Delta f$  is the actual frequency change,  $f_0$  is the resonance frequency in the absence of fluid loading,  $m$  is the inertial mass of the vibrating structure, and  $m_{rad}$  is the correction due to fluid loading, called the radiation mass. The results for the vocal tract of a child,<sup>2</sup> show that a D ( $f = 293.66$  Hz) at Earth’s surface is still an approximate D ( $f = 301.08$  Hz) on Mars, but is shifted down close to a D# ( $f = 158.75$  Hz) on Venus and close to a C# ( $f = 272.70$  Hz) on Titan. Fluid loading influences speech much more than it does organ pipes. To emphasize the effect that mass loading has on the generation of sound by sources similar to the vocal cavity, we show speech samples before and after fluid loading was accounted for.

## Acoustic propagation

The “filtering” effects of the different environments studied (Earth, Mars, Titan, and Venus) on sound propagation

were simulated using a physical model of acoustic wave motion in multi-component gas mixtures. Combining thermo-viscous coupling and vibrational relaxation, the model predicts<sup>3</sup> a frequency-dependent effective wave-number

$$k^{eff}(f) = 2\pi f \sqrt{\frac{\rho_0 C_V^{eff}(f)}{p_0 C_P^{eff}(f)}}, \quad (2)$$

from which the attenuation,  $\alpha$ , and speed of sound,  $c$ , can be computed at each frequency, respectively, as  $\alpha = \text{Im}(k^{eff}) + \alpha_{class}$  and  $c = 2\pi f / \text{Re}(k^{eff})$ , where  $\alpha_{class}$  is the classical attenuation coefficient due to thermal, viscous, and diffusional transport,  $\rho_0$  and  $p_0$  are, respectively, the ambient density and pressure, and  $C_P^{eff}$  and  $C_V^{eff}$  are the effective isobaric and isochoric specific heats. The thermophysical quantities (e.g., specific heats, viscosity, and thermal conductivity) were interpolated at the ambient conditions (composition, pressure, and temperature) of the surface of each planet.<sup>4</sup> The atmospheric effect on sound propagation is to introduce selective attenuation and, to a smaller degree, dispersion, to the frequency content of the initial waveform. As the waveform propagates, it is progressively altered by the atmospheric “filter.” These effects can be heard in the music files, which simulate how the Bach fragment behaves at various distances from the source.

## Organization of the media files

The media files associated with the article are organized as follows. Table 1 sets the stage. Table 1 contains a calibration tone at 97 dB re 2  $\mu\text{Pa}$ . A short clip of the organ solo (played on the organ in St. Margaret’s Church, East Wellow, Hampshire, United Kingdom), the words, *Earth*, *Mars*, *Titan* and *Venus* are then spoken and are used in the next three tables to illustrate how each might sound at the distances indicated and on each of the locations. The last example in Table 2 illustrates how all the organ clips would sound if played together. Note: If the sound becomes inaudible, it is due to the attenuation of the particular atmosphere. Do not continually adjust the volume to hear the sound.

## Directions to download the interactive Tables and play the media files

Shortly after the print copy of this issue is mailed, it will also be published in the Acoustical Society of America’s Digital Library. The *Acoustics Today* main page can be found at <http://scitation.aip.org/AT>. Alternatively, the Table of

Table 1. Audio/video sound-source files

97dB Calibration	“Organ”	“Mars”	“Titan”	“Venus”
------------------	---------	--------	---------	---------

Unaltered sound-source files that illustrate the recorded music and speech that were processed to simulate the off-world sounds. The announcers are Ms. Rhiannon Leighton and Mr. Rhys Leighton. The organist is Timothy Leighton. These audio/video clips were recorded in QuickTime's .MOV format. If you have difficulty in playing them, you might download the PC or MAC version of *VLC Media Player* from [www.videolan.org](http://www.videolan.org). This is a non-profit organization that has created a very powerful, cross-platform, free and open source player that works with almost all video and audio formats. To appreciate the effects simulated, it is best not to change the sound level between examples. (For example, Mars has very high attenuation. If you don't hear anything beyond a given distance, it is actually there, but very, very soft.) The audio clips in Tables 2, 3, and 4 were recorded in .MP3 format. Again, you might use the *VLC Media Player* if you are having problems.

Table 2. Organ music, as heard on the location indicated, at the distances indicated.

@1 meter	@10 meters	@20 meters	@50 meters	@100 meters
Earth Organ 1	Earth Organ 10	Earth Organ 20	Earth Organ 50	Earth Organ 100
Mars Organ 1	Mars Organ 10	Mars Organ 20	Mars Organ 50	Mars Organ 100
Titan Organ 1	Titan Organ 10	Titan Organ 20	Titan Organ 50	Titan Organ 100
Venus Organ 1	Venus Organ 10	Venus Organ 20	Venus Organ 50	Venus Organ 100
All Organs 1				

Table 3. Speech files without fluid loading or size effects.

@1 meter	@10 meters	@20 meters	@50 meters	@100 meters
Earth Speech 1	Earth Speech 10	Earth Speech 20	Earth Speech 50	Earth Speech 100
Mars Speech 1	Mars Speech 10	Mars Speech 20	Mars Speech 50	Mars Speech 100
Titan Speech 1	Titan Speech 10	Titan Speech 20	Titan Speech 50	Titan Speech 100
Venus Speech 1	Venus Speech 10	Venus Speech 20	Venus Speech 50	Venus Speech 100

Table 4. Speech files with fluid loading and size effects

1 meter	@10 meters	@20 meters	@50 meters	@100 meters
Mars SpchL 1	Mars SpchL 10	Mars SpchL 20	Mars SpchL 50	Mars SpchL 100
Titan SpchL 1	Titan SpchL 10	Titan SpchL 20	Titan SpchL 50	Titan SpchL 100
Venus SpchL 1	Venus SpchL 10	Venus SpchL 20	Venus SpchL 50	Venus SpchL 100

Contents for this issue may be reached directly by going to your internet browser and typing the following Uniform Resource Locator (URL) in the address block: <http://scitation.aip.org/dbt/dbt.jsp?KEY=ATCODK&Volume=5&Issue=3>. At some point in the download process you will probably be asked for your Username and Password if you are using a computer that is not connected to an institution with a subscription to the Digital Library. These are the same

Username and Password that you use as an ASA member to access the *Journal of the Acoustical Society of America* online. Open the abstract for this article by clicking on [Abstract](#). At the bottom of the abstract will be a link. Click on the link and a zipped folder (LeightonData.zip) will be downloaded to your computer (wherever you usually receive downloads). Unzip the entire folder (as a whole) and open the folder (LeightonData). Do not remove any folders—simply open the file called

"00\_OpenMe" It is an interactive pdf file that should look exactly like the tables in the article. Leave it as a pdf file in the LeightonData folder and by clicking on any of the files in the tables they should open. Table 1 contains audio/visual clips (except for the calibration that is audio only), while Tables 2-4 are simulated audio clips. Questions? Email the Scitation Help Desk at [help@scitation.org](mailto:help@scitation.org) or call 1-800-874-6383.

## References to Part 2

<sup>1</sup> T. G. Leighton, "Fluid loading effects for acoustical sensors in

the atmospheres of Mars, Venus, Titan and Jupiter," *JASA Express Letters* **125**, EL214-EL219 (2009).

<sup>2</sup> T. G. Leighton, "The effect of fluid loading on the generation of extraterrestrial sound," ISVR Technical Report No. 325 University of Southampton (2008).

<sup>3</sup> A. Petculescu and R. M. Lueptow, "Synthesizing primary molecular relaxation processes in excitable gases using a two-frequency reconstructive algorithm," *Physical Rev. Letters* **94**, 238301 (2005).

<sup>4</sup> A. Petculescu and R. M. Lueptow, "Atmospheric acoustics of Titan, Mars, Venus, and Earth," *Icarus* **186**, 413-419 (2007).

# Publish Your Conference Proceedings with AIP

*Disseminate your conference results worldwide quickly and cost effectively*

**A**s a conference organizer, you want the key findings at your meeting to reach the largest possible audience as quickly and inexpensively as possible. With more than 700 Conference Proceedings published, the American Institute of Physics is uniquely positioned to maximize the impact of that leading-edge research by ensuring fast, cost-effective dissemination to researchers worldwide. AIP Conference Proceedings also preserve the continuity of the papers delivered at your meeting—something that's lost when individual articles are scattered among various journals.

## AIP puts your proceedings online

AIP mounts each new volume online almost simultaneously with the publication of the printed version. This ensures that researchers in your field will have prompt access to the results of your conference. Links to your proceedings are accessible from the Inspec database and from major search engines. Access is available to patrons at a growing number of libraries worldwide. You can also offer online access to attendees of your conference.

## Give your proceedings a special online SPIN

Abstracts of all conference papers automatically appear in AIP's SPIN (Searchable Physics Information Notices) abstracts database. SPIN is widely available in academic, corporate, and government research libraries around the world. It is a rich resource with complete bibliographic records for more than 100 of the world's leading publications in the physical sciences.

Visit us on the web at <http://proceedings.aip.org>.



For more information and proposals, contact:  
Maya Flikop, Tel: 516-576-2460; e-mail: [mflikop@aip.org](mailto:mflikop@aip.org)

## Discover why conference organizers return to AIP year after year

The vast majority of organizers of regularly recurring conferences return to AIP to publish subsequent proceedings. Here are some of the benefits they've enjoyed:

- Rapid publication, typically 10 to 12 weeks from the receipt of all the manuscripts
- Online availability virtually simultaneous with the release of the print volume
- Proceedings published before the start of conference for distribution at the conference
- Dedicated staff contact editors and proofread typeset pages at least twice
- A selection of manuscript submission formats, from camera-ready on paper, electronically on disk, or by ftp
- Flexible publication formats: 8 1/2" x 11" or 6" x 9" (approximately A4 and A5, respectively) sizes, and hardcover or soft-cover bindings
- AIP's ability to handle special requests, such as unique cover designs and four-color art
- The option of producing your proceedings on CD-ROM
- Worldwide distribution